

Written on 28 May 2025





News

**Fundamental Research** 

Geology - Sedimentology

**Geostatistics - Geological modeling** 

Signal processing/Data science

The Tinée, Vésubie and Roya valleys in south-east France were exposed to the full force of storm Alex on 2 and 3 October 2020. This storm was triggered by a fast-developing low-pressure system over the Atlantic, which came into contact with a mass of warm, moist air from the Mediterranean, causing unprecedented rainfall in the hinterland of the Alpes-Maritimes region. In the Roya valley, the highest cumulative rainfall in 24 hours was recorded at the Mesches dam, with around 663 mm (Fig. 1A). This extreme weather event caused major geomorphological changes to the River Roya and the surrounding slopes, resulting in sedimentary deposits along its course of more than 2 meters in places.

#### IFPEN and Sorbonne University conduct research at the site of the disaster

In order to understand and model the impact of extreme hydro-sedimentary events on slope stability and erosion, and on the dynamics of torrential water and sediment flows, a geological and numerical study of the Viévola valley<sup>1</sup>, one of the tributaries of the Roya, was conducted by IFPEN and Sorbonne University. This valley is characterized by very steep gradients, in excess of 50°, and sparse plant cover. There were two components to the study: (1) characterization of landslides [1] and

sedimentary deposits (Figure 1, [2]) caused by Storm Alex, (2) numerical hydro-sedimentary modeling and slope stability calculations (Figure 2).

# Sedimentary deposits containing a wealth of information about the impact of storm Alex

This study began with an examination of the sedimentary deposits caused by Storm Alex in the Viévola valley, focusing first on the village of Viévola (Figure 1 B), before moving upstream along the Dente torrent above the village (Figure 1C and D), in order to characterize the sedimentary facies of the deposits and deduce the hydraulic processes that generated them. The main factors governing sediment transport are slope, particle size and sediment cohesion, determining how it is transported: suspended in the water, drawn or carried in debris flows.




Fig. 1 (A) Location of the Roya valley (Alpes Maritimes, south-east France) and twenty-four hour rainfall map; (B) Example of damage caused by storm Alex, with several meters of gravel and silt engulfing a house in the village of Viévola; (C) Geomorphological map of the watershed upstream of Viévola and course of the Dente torrent; (D) Topographical profile of the Dente torrent and example of sedimentary deposits caused by storm Alex, with the trapping of pebbles, and even pluri-decimetric boulders, in clay flows (from Kerverdo et al., 2025).

### Landslide identification and calculation of volumes of debris transported

This was followed by a morphological analysis of the slopes of the Viévola valley. Aerial and satellite images and digital surface models acquired by IGN (French National Institute of Geographic and Forest Information) in 2020 (prior to the storm) and 2021 (after the storm) were used to identify

<sup>&</sup>lt;sup>1</sup> A smaller valley, enabling a more comprehensive study

landslide areas. Topographic surveys in the field were conducted to characterize the vegetation cover, correct the surface models and derive digital terrain models (DTMs), representing the altitude of bare ground, with no vegetation or dwellings. The difference between the 2021 and 2020 DTMs enabled us to quantify the average depth of the landslides - around 1.7 m -, and the volumes eroded and exported from the Viévola valley to the Roya - around 180,000 m3 (Kerverdo et al., 2024).

#### Major role of the Viévola catchment area

The study then highlighted the key role of the Viévola catchment area as a major source of sediment, with a particular contribution from the headwaters of the Dente and Rabay torrents. Erosion during this extreme storm was more pronounced in areas characterized by scree and fluvio-glacial deposits, which were torn away during the storm and carried down the Viévola valley, where they engulfed part of the village with some even transported to the Roya.

These results have provided valuable information about the geomorphological reaction of slopes and rivers to extreme events, and have furthered our understanding of the predisposing factors conducive to the triggering of major hydro-sedimentary events.

#### Numerical simulation of erosion and transport processes

Work is ongoing to numerically reproduce the processes of slope erosion and sediment transport in rivers. Initial hydro-sedimentary modeling using the ArcaDES/DionisosFlow<sup>®</sup> model enabled simulation of water flow during the storm with a view to quantifying the flow rate, height and velocity (Figure 2a). It was then possible to deduce a slope stability factor using a geomechanical model. Ultimately, this global hydro-sedimentary characterization and modeling approach will make it possible to simulate extreme events, evaluate uncertainties and risks, and consequently provide an assessment of an area's vulnerability to climate change.




Fig. 2: (A) Numerical hydro-sedimentary modeling using the ArcaDES code, with calculation of the torrential water flow (flow rate, height and speed) at the peak of the storm, (B) Calculation of the stability factor of the slopes of the Viévola valley as a function of the stresses induced by the torrential flow.

#### References:

[1] Kerverdo, R., Lafuerza, S., Gorini, C., Rabaute, A., Granjeon, D., Deschamps, R., Fouache, E., Jafari, M., Lagree, P.Y., 2024. The impact of storm Alex on the Vievola catchment: a quantitative analysis of sediment volume and morphological changes in the Roya river tributaries. Landslides,

>> DOI: https://doi.org/10.1007/s10346-024-02361-2

[2] Kerverdo, R., Lafuerza, S., Gorini, C., Fouache, E., Rubino, J.-L., Granjeon, D., Deschamps, R., Jafari, M., Lagrée, P.-Y., and Bianchi, N., 2025. Extreme flood event and their depositional signatures: the case of the Storm Alex in the Roya Valley, EGU General Assembly 2025.,

>> DOI: https://doi.org/10.5194/egusphere-egu25-17785

Scientific contact: Didier Granjeon, Rémy Deschamps, Raphael Kerverdo

## YOU MAY ALSO BE INTERESTED IN

Knowledge and description of sedimentary systems Natural gas in marine sediments: a climate issue? Natural gas in marine sediments: a climate issue?

The hydro-sedimentary and geomorphological impact of storm Alex on the Roya catchment area (Alpes-Maritimes, south-east France)
28 May 2025

Link to the web page: